

SEQUENCE LISTING

<110> Paz Einat
 Dina Zevin-Sonkin
 Shlomit Gilad

<120> METHODS FOR CLONING NUCLEIC ACIDS IN A DESIRED ORIENTATION

<130> 69626-A-PCT-US/JPW/JW; 103/PCT1-US1

<140> US 10/561,005
 <141> 2005-12-15

<150> PCT/IL2004/000515
 <151> 2004-06-15

<150> US 60/479,224
 <151> 2003-06-16

<160> 13

<170> PatentIn version 3.2

<210> 1
 <211> 24
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> CSN4C2-A oligonucleotide of CSAD adaptor; Chemically synthesized

<220>
 <221> misc_feature
 <222> (21)..(24)
 <223> "n"=nucleotide A, T, G or C

<400> 1
 gccattaagg ccaccatgcc nnnn 24

<210> 2
 <211> 41
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> CSAD-A oligonucleotide of CSAD adaptor; Chemically synthesized

<400> 2
 catggtggcc ttaatggcca ctacgaccgt tcgggtggta c 41

<210> 3
 <211> 24
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> CSN4C2-A oligonucleotide of CSAD adaptor after annealing; Chemically synthesized

<220>
 <221> misc_feature
 <222> (21)..(24)

<223> n=nucleotide A, T, G or C
 <400> 3
 gccattaagg ccaccatgcc nnnn 24

<210> 4
 <211> 41
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> CSAD-A oligonucleotide of CSAD adaptor after annealing; Chemically synthesized

<400> 4
 catggtggcc ttaatggcca ctacgaccgt tcgggtggta c 41

<210> 5
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> PSN4G2 oligonucleotide of PSAD adaptor; Chemically synthesized

<220>
 <221> misc_feature
 <222> (1)..(4)
 <223> n = nucleotide A, T, G or C

<400> 5
 nnnnggtgag tgactgaggc c 21

<210> 6
 <211> 44
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> PSAD oligonucleotide of PSAD adaptor; Chemically synthesized

<400> 6
 cgaggagcga ccgactcgat ggccgaggcg gcctcagtca ctca 44

<210> 7
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> PSN4G2 oligonucleotide of PSAD adaptor after annealing; Chemically synthesized

<220>
 <221> misc_feature
 <222> (1)..(4)
 <223> n = nucleotide A, T, G or C

<400> 7
 nnnnggtgag tgactgaggc c 21

<210> 8
 <211> 44
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> PSAD oligonucleotide of PSAD adaptor after annealing; Chemically synthesized

 <400> 8
 cgaggagcga ccgactcgat ggccgaggcg gcctcagtca ctca 44

 <210> 9
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Primer; Chemically synthesized

 <400> 9
 gtaccacccg aacggtcgta g 21

 <210> 10
 <211> 21
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Primer; Chemically synthesized

 <400> 10
 cgaggagcga ccgactcgat g 21

 <210> 11
 <211> 13
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> sfi I cleavage site; Chemically synthesized

 <220>
 <221> misc_feature
 <222> (5)..(9)
 <223> n = nucleotide A, T, G or C

 <400> 11
 ggccnnnnng gcc 13

 <210> 12
 <211> 13
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> sfi I cleavage site; Chemically synthesized

 <220>

<221> misc_feature
<222> (5)..(9)
<223> n = nucleotide A, T, G or C

<400> 12
ggccnnnnng gcc

13

<210> 13
<211> 46
<212> DNA
<213> Artificial Sequence

<220>
<223> pTZV-CMV-Sfi-SIN vector; Chemically synthesized

<400> 13
gaattggcca ttaaggcctg caggatccgg ccgcctcggc ctcgag

46